



Building Control Services

Exempt domestic structures

05

When is a domestic structure exempt from Building Control application?

- **Small detached buildings**

Small detached buildings, including detached garages not structurally connected to another building on the same plot/site, are exempt from Building Control applications.

- An application is not required for a detached building if:
 - It is single storey
 - The floor area does not exceed 30m²
 - It contains no sleeping accommodation
 - It is substantially constructed of non-combustible material i.e. masonry walls and concrete roof tiles or similar
- When the detached building is constructed of combustible materials i.e. timber walls and felt roof, there are limitations on its position. It must not be less than 1.0m from the:
 - Nearest point of a dwelling
 - Nearest part of a road
 - Nearest point of the boundary of the land on which it is erected

- **Carports**

When connected to a building, an application is not required for a carport if:

- It is permanently open on at least two sides
- The floor area does not exceed 30m²
- It is located at ground level

- **Conservatories**

All conservatories are exempt from the Regulations, providing:

- They are built at ground level
- They have a floor area less than 30m²
- The glazing complies with Part V of the regulations e.g. safety glass
- Thermal separation is retained between the conservatory and the rest of the dwelling
- Not less than 75% of roof area is translucent material
- Not less than 50% of wall area is translucent material
- There are independent heating controls for the conservatory from the rest of the dwelling

- **Porches**

All porches are exempt from the Regulations, providing:

- Thermal separation is retained between the porch and the rest of the dwelling
- They are built at ground level and provide protection to an access door to a building and have an external door or an opening to the external air
- They have a floor area less than 30m²
- The glazing complies with Part V of the Regulations e.g. safety glass

Confirmation of exemption

We can provide confirmation of exemption from the Building Regulations on receipt of:

- A completed "Exemption from Building Regulations" form (available from Building Control Services or Lisburn City Council website)
- A fee of £20.00

Additional information

The provision of a central heating boiler in an exempt garage is subject to the Building Regulations and will require an application.

Remember to check if planning permission is required even when no application is required under the Building Regulations.

**The Planning Service,
Lisburn Divisional Office,
Rathkeltar House,
Market Street,
Downpatrick.**

T: 028 4461 8000

W: www.planningni.gov.uk

If you require any further advice please contact...

**Building Control Services
2nd Floor
Lisburn City Council
Island Civic Centre
The Island
Lisburn BT27 4RL**

Office hours: Mon-Fri 9.00am to 5.00pm

Technical Helpline: 028 9250 9372

T. 028 9250 9380

F. 028 9250 9375

W. lisburncity.gov.uk

E. building.control@lisburn.gov.uk



**LISBURN
CITY COUNCIL**



CUSTOMER SERVICE EXCELLENCE

**building control services...
...building our future - together**



INVESTOR IN PEOPLE